

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) An apparatus for estimating a manufacturing cost for a product comprising:

a first input device for receiving input data concerning physical characteristics of the product to be manufactured at multiple stages of design;

a cost calculation processor adapted to calculate the manufacturing cost based on information received from said first input device for one or more process series, ~~and initial cost factor data which is independently supplied by at least two external suppliers using separate input devices;~~

a first external input device capable of communicating with the cost calculation processor, and operable by a first external supplier to independently supply initial and updated cost data to the cost calculation processor;

a second external input device capable of communicating with the cost calculation processor, and operable by a second external supplier to independently supply initial and updated cost data to the cost calculation processor;

the cost calculation processor being adapted to recalculate the manufacturing cost ~~based on each time~~ updated cost factor data is supplied by each of the ~~at least two first and second~~ external suppliers;

a memory for storing each of the calculated manufacturing costs; and

a display device ~~for adapted to~~ simultaneously displaying the display revised  
calculated manufacturing costs for both of the first and second external suppliers each time  
either one or both of the first and second external suppliers supplies the initial or the updated  
cost data at the multiple stages of design ~~for the at least two external suppliers~~, so that a user  
can determine which of the ~~at least two~~ first and second external suppliers is better at each of  
the multiple stages of design.

2. (Previously Presented) The apparatus according to claim 1, wherein said cost  
calculation processor is adapted to calculate manufacturing costs for individual process steps  
of the plurality of process series; and wherein said display device displays the calculated  
manufacturing costs for the individual process steps.

3. (Original) The apparatus according to claim 2, wherein said physical  
characteristics include at least one of a shape, a thickness, and a material composition of the  
product to be manufactured.

4. (Previously Presented) The apparatus according to claim 3, further comprising:

a variable cost memory; and

a fixed cost memory.

5. (Original) The apparatus according to claim 4, wherein said variable cost memory and said fixed cost memory are connected to said cost calculation processor via an in-house net connection.

6. (Original) The apparatus according to claim 4, wherein said variable cost memory and said fixed cost memory are connected to said cost calculation processor via an internet connection.

7. (Previously Presented) The apparatus according to claim 4, wherein said first input device is located in an in-house development department.

8. (Previously Presented) The apparatus according to claim 7, wherein said external suppliers receive data from in-house production facilities and outsourced component makers.

9. (Previously Presented) The apparatus according to claim 8, wherein said in-house production facilities are connected to said external suppliers via an in-house net connection, and wherein said outsourced component makers are connected to said external suppliers via an internet connection.

10-14. (Cancelled)

15. (Previously Presented) The apparatus according to claim 1, wherein said external suppliers receive data from in-house production facilities and outsourced component makers.

16. (Previously Presented) The apparatus according to claim 15, wherein said in-house production facilities are connected to said external suppliers via an in-house net connection, and wherein said outsourced component makers are connected to said external suppliers via an internet connection.

17-20. (Cancelled)

21. (Currently Amended) An apparatus for estimating a manufacturing cost for a product comprising:

a first input device and an associated first display device for receiving and viewing input data concerning physical characteristics of the product to be manufactured at multiple stages of design of the product;

a cost calculation processor for calculating the manufacturing cost based on information received from said first input device at each stage of design of the product, and initial cost factor data independently supplied from at least two external suppliers using separate input devices, the cost calculation processor being adapted to recalculate the

manufacturing cost based on updated cost factor data supplied by each of the at least two external suppliers;

said first display device for displaying the calculated manufacturing costs from said cost calculation processor,

wherein, upon entering a plurality of alternative process series for manufacturing the product at each of the multiple design stages via said first input device, said cost calculation processor calculates a plurality of alternative manufacturing costs for the at least two external suppliers, with each of the alternative manufacturing costs being associated with a respective one of the plurality of alternative process series for manufacturing the product at each of the multiple design stages, the first display device simultaneously displaying the calculated manufacturing costs at the multiple stages of design for the at least two external suppliers, so that a user can determine which of the at least two external suppliers is better at each of the multiple stages of design,

~~wherein the recalculated manufacturing costs displayed on said first display device~~  
being adapted to simultaneously display change based on the updated revised cost factor data  
for all of the at least two external suppliers each time either one or more of the at least two  
external suppliers independently supplies the initial or the updated cost factor data supplied  
~~from the at least two external suppliers using the separate input devices, and each time~~  
alternative physical characteristics of the product to be manufactured are inputted using the  
first input device.

22. (Previously Presented) The apparatus according to claim 1, wherein the cost calculation processor includes:

a manufacturing cost price calculator for calculating manufacturing cost price elements based on cost prices received from a manufacturing cost price data base and data presented by an display information processor and an input information processor;

a variable cost element calculator for calculating variable cost elements based on variable cost factors received from a variable cost database and data processed by the input information processor; and

a cost calculation processor for adding manufacturing cost price elements calculated by the manufacturing cost price element calculator and variable cost elements calculated by the variable cost element calculator into a cost total.

23. (Previously Presented) The apparatus according to claim 1, the manufacturing costs are compared based on differences between the process series including a series of different processing processes, and also differences between the process series including a series of single processing processes.

24. (New) The apparatus according to claim 1, wherein the multiple calculated manufacturing costs at the multiple stages of design for each of the at least two external

suppliers are displayed along a vertical column, the vertical column for each of the external suppliers being arranged side-by-side, so that the user can visually determine which of the at least two external suppliers is better at each of the multiple stages of design.

25. (New) The apparatus according to claim 1, wherein the multiple calculated manufacturing costs at the multiple stages of design for each of the at least two external suppliers are displayed, so that the user can compare the calculated manufacturing cost of one external supplier with the manufacturing costs of the at least two external suppliers at each of the multiple stage of design.

26. (New) The apparatus according to claim 21, wherein the multiple calculated manufacturing costs at the multiple stages of design for each of the at least two external suppliers are displayed along a vertical column, the vertical column for each of the external suppliers being arranged side-by-side, so that the user can visually determine which of the at least two external suppliers is better at each of the multiple stages of design.

27. (New) The apparatus according to claim 1, wherein the multiple calculated manufacturing costs at the multiple stages of design for each of the at least two external suppliers are displayed, so that the user can compare the calculated manufacturing cost of one external

*Application No.: 09/891,367*  
*Reply dated: August 14, 2007*  
*Reply to Office Action of May 14, 2007*

*Docket No.: 0505-0840P*  
*Art Unit: 3627*  
*Page 9 of 15*

supplier with the manufacturing costs of the at least two external suppliers at each of the multiple stage of design.